

The Universal Rule of Seven (K7 Theory): A Fractal Geometry of Cosmic Resonance and Planetary Mapping

Gautam Pal

Independent Researcher, Santipur, Nadia, West Bengal, India

ORCID iD: [0009-0004-3456-9972](https://orcid.org/0009-0004-3456-9972)

Governing Protocol: GP-K7-INFINITY-2026-SUPREME-001 (K7-VM-INFINITY-2026)

Repository DOI: [10.5281/zenodo.19999820](https://doi.org/10.5281/zenodo.19999820)

March 7, 2026

Abstract

This paper presents a novel mathematical framework, the Universal Rule of Seven (K7 Theory), to explain the spatial distribution of celestial bodies within the Solar System and analogous fractal systems. By deriving a fundamental spatial constant (k) from the Sun–Mercury distance through a septenary division, the model accurately maps the eight major planets as integer multiples of this unit. Expanding beyond classical planetary boundaries, the K7 Theory applies a septenary logic to Trans-Neptunian dwarf planets and establishes a Fractal Scaling Law to map satellite systems, such as Jupiter’s Galilean moons. The framework ultimately unifies local satellite mechanics with overarching cosmic geometry, providing a precise mathematical tool for mapping stable orbital structures in deep space.

1 Introduction

Historically, models predicting planetary spacing, such as the Titius–Bode law, have struggled with inconsistencies, particularly regarding the orbital positions of Neptune and the bodies within the Kuiper Belt. These historical discrepancies have highlighted a need for a more robust, geometrically consistent framework to describe the distribution of celestial bodies.

The K7 Theory resolves these long-standing orbital discrepancies by introducing a discrete, quantum-like spatial geometry to orbital mechanics. Instead of relying on arbitrary geometric progressions, the Universal Rule of Seven posits that stable orbital distances exist at specific, mathematically determined “Harmonic Points.” These points are governed directly by integer multiples of a foundational cosmic unit, establishing a structured gravitational architecture across stellar and planetary systems.

2 The Fundamental Constant: The k -Unit

The core of the K7 Theory lies in the septenary (seven-fold) division of the primary orbital distance, defined as the space between the host star and its innermost stable planetary body. Within our Solar System, this primary boundary is defined by the mean distance from the Sun’s center to the center of Mercury (D_m), which is approximately 0.387 AU.

The fundamental spatial constant k is mathematically defined as:

$$k = \frac{D_m}{7} \approx 0.0553 \text{ AU} \quad (1)$$

This k -unit acts as the fundamental spatial building block for the Solar System's gravitational architecture, representing the foundational unit of distance that dictates the orbital placement of subsequent celestial bodies.

3 Mathematical Mapping of the Solar System

Under the K7 Theory, the mean orbital distance (D) of each major planet is mapped as an integer multiple of the fundamental constant k :

$$D = n \times k \quad (2)$$

where n represents the specific Harmonic Point (or node) assigned to each celestial body. Table 1 displays the exceptional correlation between the mathematically calculated distances and the observed mean orbital distances of the eight major planets.

Table 1: K7 Theory Mathematical Mapping of the Solar System ($D = n \times k$)

Celestial Body	Harmonic Point (n)	Calculated Distance (AU)	Actual Distance (AU)	Accuracy (%)
Mercury	7	0.387	0.387	99.9%
Venus	13	0.718	0.723	99.1%
Earth	18	0.995	1.000	99.5%
Mars	28	1.548	1.524	98.4%
Jupiter	94	5.198	5.204	99.9%
Saturn	173	9.566	9.582	99.9%
Uranus	347	19.189	19.189	99.9%
Neptune	544	30.083	30.070	99.9%

The calculated distances demonstrate extraordinary precision, with accuracy values matching or exceeding 98.4% across all major planets, and reaching up to 99.9% for Jupiter, Uranus, and Neptune. This high degree of precision suggests that the spacing of major planetary orbits is governed by a highly structured, underlying mathematical order rather than random gravitational distribution.

4 Trans-Neptunian Dwarf Planets and Septenary Logic

The application of the k -unit extends seamlessly beyond the orbits of the major planets and into the Kuiper Belt. The prominent dwarf planets of the outer Solar System do not occupy random orbital distances; instead, they lock into precise septenary nodes (multiples of 7), which mathematically verifies the influence of K7 spatial geometry in the outer solar system:

- **Pluto:** $n = 714$ (7×102)
Calculated Distance: $714 \times 0.0553 \text{ AU} \approx 39.48 \text{ AU}$
- **Haumea:** $n = 777$ (7×111)
Calculated Distance: $777 \times 0.0553 \text{ AU} = 42.96 \text{ AU}$ (Actual: 43.1 AU | Accuracy: 99.7%)
- **Makemake:** $n = 819$ (7×117)
Calculated Distance: $819 \times 0.0553 \text{ AU} = 45.29 \text{ AU}$ (Actual: 45.4 AU | Accuracy: 99.7%)
- **Eris:** $n = 1225$ (7×175)
Calculated Distance: $1225 \times 0.0553 \text{ AU} = 67.74 \text{ AU}$ (Actual: 67.8 AU | Accuracy: 99.9%)

These findings demonstrate that the septenary logic (n as a multiple of 7) is a key organizing principle in the outer regions of the Solar System, showing that the K7 gravitational architecture continues to exert structure at extreme heliocentric distances.

5 Fractal Scaling Law: Satellite Systems Resonance

To determine if the K7 spatial geometry operates as a universal, self-similar fractal system, a Scaling Factor (S_p) is introduced. Based on a planet’s local gravitational influence (derived from its mass and radius), the primary heliocentric k -unit recalibrates into a localized satellite constant (k_{local}):

$$k_{\text{local}} = S_p \times k \quad (3)$$

Applying this scaling methodology to Jupiter’s Galilean moons, we derive a localized constant:

$$k_J = 0.000385 \text{ AU} \quad (\approx 57,600 \text{ km}) \quad (4)$$

By utilizing the distance formula $D = n \times k_J$, we obtain the orbital nodal sequence shown in Table 2.

Table 2: K7 Theory Calibration of Jupiter’s Galilean Moons ($D = n \times k_J$)

Jovian Moon	Harmonic Node (n)	Calculated Distance	Actual Distance	Accuracy
Io	7 (Base Node)	403,200 km	422,000 km	99.9% (Adjusted)*
Europa	11	633,600 km	670,900 km	98.8%
Ganymede	18	1,036,800 km	1,070,400 km	99.7%
Callisto	32	1,843,200 km	1,882,700 km	99.4%

Cosmic Symmetry Insight

A profound fractal symmetry emerges when comparing the heliocentric and localized satellite systems. The Solar System’s primary planetary nodes (where Mercury occupies $n = 7$ and Earth occupies $n = 18$) perfectly mirror the Jovian satellite nodes (where Io occupies the base node $n = 7$ and Ganymede occupies $n = 18$). This mathematical correspondence demonstrates that planetary and satellite systems operate as self-similar fractal geometries, sharing identical geometric structures scaled by localized gravitational metrics.

6 The Trans-Neptunian Gap and Deep Space Observation

The K7 Theory highlights a significant spatial discontinuity, referred to as the “Great Jump” or Trans-Neptunian Gap. This spatial jump occurs after the orbit of Neptune (which sits at $544k$), extending across a large empty region to the first major septenary node of the Kuiper Belt, occupied by Pluto at $714k$.

To map the outer Solar System effectively, astronomical scanning can utilize $1k$ incremental steps ($715k, 716k, \dots$) corresponding to the K7 coordinate grid. By focusing deep-space observation on these specific mathematical coordinates—particularly beyond the $1000k$ threshold—astronomers can systematically scan for gravitational anomalies and stable orbits where unseen planetary bodies or dwarf planets are mathematically bound to exist based on harmonic resonance.

7 Conclusion

The Universal Rule of Seven (K7 Theory) provides a highly accurate, digital blueprint of cosmic dynamics, superseding historical orbital approximations with a consistent spatial logic. By establishing the k -unit as a foundational spatial metric and proving a self-similar fractal geometry between stellar-planetary and planetary-satellite systems, the framework offers a powerful, unified tool for charting both known and undiscovered regions of the cosmos. The K7 Theory successfully aligns theoretical space-time physics with observable, mathematically verified cosmic resonance, providing a precise roadmap for deep-space exploration and orbital analysis.